

PRODUCT MANUAL

C01



Preface

Thank you for purchasing our latest model-AGS-C01 car air purifier,which can offer you a more comfortable and healthy car environment.

The user manual concludes the important information and warnings, for better understanding the machine,please read it carefully before using.

The product replacement period is the recommended value,which should be replaced according to the specific situation of the using environment and the using conditions of the filters.


When the car is parked for a long time, the car air purifier is supposed to be turned off.

The illustrations in the manual are schematic, they may be a little different from the real products in the details.


The manual is only for reference, the real products defines the specific color, pattern and function of the car air purifier.



The main machine



The filter
(It has already been placed in the car air purifier)




Cigarette lighter adapter




The manual

Notices:





! Danger
Do not clean the machine with liquid.

Notice **!**
Not allowed as toys for children.




! Notice
No foreign items around the outlet.

Notice **!**
Adjust the machine when car stops only.



! Notice
Not allowed to be placed on auto airbag.

Notice **!**
Clean the machine with soft clean cloth on the power-off state.




! Danger
Do not invert when wearing.

Environment protection 
Do not dispose with other garbage.





Product description





Cover

Filter cover




Mid cover

Stent



fan



fan



Touch spring




Light shading



PCBA panel

Bottom shell




Product descriptions:

| | |
|---------------------|--|
| Name | C01 air purifiers |
| Model | AGS-C01 |
| Main material | ABS plastic |
| Rated voltage | DC12V |
| Input power | 5W |
| Noise level | less than 45db |
| Air volume | 20-25m ³ /h |
| Wind speed | Smart/low/high |
| Sensor | TVOC odor sensor |
| Indication | LED indicators |
| sterilization rate | 99.99% |
| Purification method | Composite filter-4 stages purification |
| Net weight | 0.4Kg |
| Gross weight | 0.8Kg |
| Dimension | 193mm × 145mm × 51.5mm |
| Packaging | 250mm × 185mm × 90mm |

Instruction for using

Please use the car adaptor and use the cigarette lighter connector. Turn on the car air purifier, then all the indicators on the panel flash for one second which means the power is on.



Turn on the car air purifier

1. At this moment, it is in standby state, the power button is on (red).
2. Press it once to start the machine, the machine is turned on, the default mode is smart one, the sensor module starts to work.

At this point, the blue border of the power button is on (red), press it for 3 seconds, the machine is shut down, and all lights off, and turn off the sensor power.

One touch

When the machine is on, it enters into smart mode automatically, then the blue light around the start button flashes.

Press the start button again, the blue light is off and turns into the control of the wind volume.




Setting the wind volume

When the machine is on, it enters into smart mode automatically, press it again and enters into the control of the wind volume, low-High-smart-low, under the cycle regulation.


Note: TVOC sensor needs three minutes to prepare for working, so it is normal that the breathe light is red within 3 minutes, the right indication is on after three minutes.

Filter replacement


- The filter needs to be replaced if the dust or smell cannot be removed and the time of the filter replacement is decided upon the specific car environment and using time.
- Please unplug the power cord before any operations.
- In order to ensure the quality of the filters, they all have mesh bags (except the one in the machine). Before using the new filter, take the filter out of the mesh bags and put it in the machine.




- Turn off the air purifier, and invert the air purifier and press the buckles of the filter cover on both sides and remove it after loosening.



- Take out the filter and remove the mesh bag.



- After loading the composite filter, align the filter cover with the bottom three slots, press and cover the filter cover inward.



- Connect the cigarette lighter adapter with the DC jack.




- Connect the cigarette lighter adapter with the cigarette lighter of the car.




- Start the car air purifier and begin purifying air.

Use instructions

Product placement




- Put it around the dashbord of the car.(not on the airbag.)



- Put it inside the rear window.

- Put it on the storage box.



- Put it on the storage box.

Precautions

Do not operate the car air purifier while driving. Please stop the car before operating.

FAQ

Q1:Machine cannot be started.

A1:For car use, make sure it has been connected with car adapter,for home or tabletop use, make sure it.For home or tabletop use,make sure it is connected with home use power supply through home use adapter. Make sure the L-shaped head of the power adapter and the back of the machine are connected well.Press the power button again,if the machine cannot be started, please contact the retailer.

Q2:Why the fan would sometimes pause for a while?

A2:This is normal when the voltage is changing for protection.Fan stops working until the voltage turns normal press power button to restart.

Q3:Why the air quality indicator show now change for a long time?

A3:It means wither the air quality steady or the inlets is blocked or polluted.Make sure no blocks around the inlet and outlet. Restart the machine, and check if remains no change,if remains, cut down the power, and clean the machine as way showed in page 5.Then press power button, if the indicator remains no change, please contact local dealers.

Q4:Why the air quality indicator changes constantly?

A4:This is normal for air purifier normally working.When the air quality is bad,machine will help to improve the quality. While,when the abnormal smells and dust are not steady,the indicator will test the quality in the air automatically , which will result the indicator light changing constantly.Also,this means the machine working normally,it will turns blue when the air is purified.

Q5:Why abnormal smells still exist in the new car or offices still exist after a long time using air purifier?

A5:Many reasons for smells in the new cars.New pollutants are made when the air purifier is working.But obviously, it can effectively remove the pollutants in the car.Many factors may cause smells in home spaces or tabletop.New pollutants are made when the air purifier is working.But obviously,it can effectively remove the pollutants in the home or tabletop.For better purifying in cars,homes or tabletops,please run the machine at highest mode.

Warranty Card

First Repair Record:_____

User Name:_____

Product Model:_____

Contact Information:_____

Date of Purchase:_____

Date of Repair:_____

Malfunction Information:_____

Repair Progress:_____

The Original Serial No.:_____

General Terms:

If Agcen air purifier's performance failure is not caused by the person, the defective product can be returned, replaced or repaired within seven days from the date of the buyer's receipt of the products. Please go to service centers designated by Agcen company to enjoy free repairs;

Only products bought through Agcen official website can be returned without giving a reason within seven days. This policy does not applied to those that are damaged by the person, whose packaging boxes are broken, or whose parts are not completed. Buyers should be responsible for the return shipping fees when returning products without giving reasons.

We will return the payment to the corresponding Alipay account since receipt of the goods returned within seven days.

Products can be replaced within 30 days from the date of the buyer's receipt of the products. An air purifier comes with a whole year's warranty, and the main parts and components with three year's. Please properly keep the original delivery receipt and the original purchase invoice which are regarded as valid evidence of the purchasing.

What this Warranty Does Not Cover:

The three-year warranty has expired;

The buyer will not be liable for any damages of any kind if the products has been repaired unauthorized by Agcen company; trouble with the products is caused by misuse, collision, neglect,use contrary to product instructions, immersion in liquid, accident, alteration and dismantling; products'labels, erial number and false proof mark have been tore up, removed or altered.

Operator: Agcen Environmental Protection Technology Co., Ltd.

Address: No.2, Lanjing North Road, Pingshan New District, Shenzhen;

Service hotline: 400-684-0002 Official website:www.agcen.com;

Standards followed: GB4706.1-2005, GB4706.45-2008 and GB/T18001-2015